

想來點....

簡約
輕盈

的選擇？

Grace G4 / G5 Solution

- 全平面 15.6" 螢幕搭配 PCAP 觸控
- 搭載Intel最新Kaby Lake/ Apollo 平台
- 高速 M.2 SSD
- 支援最高3個獨立顯示螢幕
- 可摺疊式底座
- Dual LAN for IoT applications



今晚，我想來點 ...

PAR/NER
CALL YOUR HEADQUARTERS

升级版 纯平面收银机

GRACE (G4)



时尚的设计



灵活的接口



优化工作流程



PAR//NER

CARE . TRUST . RESPONSIBILITY

外賣 + 餐館堂食系統(G4-R)

G4-R 點餐系統 : 15英寸觸摸方屏一體機



1

系統包括以下設備

- 1 15英寸觸摸方屏電腦
- 2 來電顯示器
- 3 全功能外賣+餐館入單軟件



语言 名字 one two
 电话 06666688888
 邮编 EN34AS
 地址 999 Concord Road, ENFIELD
 距离 0.21 方位 [W]
 配送费 0.00 完成 16:56

退出

数量	菜名	价格	编号	
1	西兰猪	7.00	166a	
1	辣汁猪	7.00	163	
1	毛菇猪	7.00	162	
1	干骨	7.00	26	
2	蟹钳			
	**加虾仔	1.00	15.40	30
	**加虾	1.00		

CID 6 43.40 更改

菜单 ↑ ↓ + -

堂食 挂单 取消 下单

(21)脆辣鸡条	(21a)干牛丝	(22)芝麻鸡	(23)召炎鱼		
(24)炸鸡丝	(25)排骨	(26)干骨	(27)京骨		
(28)召炎骨	(29)蜜骨	(30)蟹钳	(30a)鱼饼		
(31W)全只鸭	(31H)1/2鸭	(31Q)1/4鸭			
汤	头盘	头盘2	沙爹/脆面	招牌	炒面
米饭	咕老	厨师推介	安力	海鲜	四川
宫保	什水	鸡	牛	素菜	鸭
猪	羊	咖喱	泰咖喱	甜辣	汁水
配菜	盒餐	套餐	薯条	白饭	炒饭
净面	虾片	春卷	快改肉	快改菜	快改味
原料	免费原料	键盘	<< >>		

CHI Name one two
 Phone 06666688888
 Postcode EN34AS
 Address 999 Concord Road, ENFIELD
 Distance 0.21 Map [W]
 DeliveryFee 0.00 Ready 16:56

Exit

Qty	Dish Name	Price	Code	
1	Pork Broccoli	7.00	166a	
1	Pork Chilli	7.00	163	
1	Pork Mushroom	7.00	162	
1	Dry Spare Ribs	7.00	26	
2	Crab Claw			
	add shrimp	1.00	15.40	30
	add prawn	1.00		

CID 6 43.40 Change Food

Menu ↑ ↓ + -

Eat In Pending Cancel Accept

(MP1)add pancake	(MP2)add cucumber onion	(MP3)add duck sauce	(MP4)extra fried rice		
(MP5)add king prawn	(MP6)add prawn	(MP7)add shrimp	(MP8)add pork		
(MP9)add chicken	(MP10)add beef	(MP11)no shrimp	(MP12)no egg		
(MP13)no pork	(MP14)no chicken	(MP15)no beef	(MP16)no meat		
Soups	Starter	Starter2	Satay & Crispy Noodle	House Special	Chow Mein
Rice	Sweet Sour	Chef Special	Omelette	Seafood	Szechuan
Kung Po	Chop Suey	Chicken	Beef	Vegetarian	Duck
Pork	Lamb	Curry	Thai Curry	Sweet Chilli	Sauces
Sundries	Meal Box	Set Dinners	chips	boiled rice	fried rice
plain chow mein	prawn cracker	pancake roll	Mod Meat	Mod Veg	Mod Taste
Ingredient	Ingredient Free	Keyboard	<< >>		

语言 退出

One two
 电话 0666688888
 邮编 EN34AS
 地址 999 Concord Road, ENFIELD
 距离 0.21 方位 [W]
 配送费 0.00 完成 16:56

数量	菜名	价格	编号	
1	西兰猪	7.00	166a	
1	辣汁猪	7.00	163	
1	毛菇猪	7.00	162	
1	干骨	7.00	26	
2	蟹钳			
	**加虾仔	1.00	15.40	30
	**加虾	1.00		

CID 6 43.40 更改

菜单 ↑ ↓ + -

堂食 挂单 取消 下单

(21)脆辣鸡条	(21a)干牛丝	(22)芝麻鸡	(23)召炎鱼
(24)炸鸡丝	(25)排骨	(26)干骨	(27)京骨

菜名 虾球

编号 69 数量 1

7	8	9	A	F	x2
4	5	6	B	G	x3
1	2	3	C	H	x4
0	.	DEL	D	I	x5
确定	CLR	E	J	x6	退出

净面 虾片 春卷 快改肉 快改菜 快改味

原料 免费原料 键盘 << >>

CHI Exit

Qty	Dish Name	Price	Code
1	Steamed Har Gau (5)	5.60	D1
1	Steamed Siu Mai (5)	5.60	D2
1	Mushroom Curry (chips) (chips) 0.90	6.90	41F
1	Shrimp Curry (noodles) (noodles) 2.00	9.00	41G
1	Special Curry	7.80	41B
1	Sweet Sour Mixed Veg HK	6.00	40F

CID 5 34.90 Change Food

Menu ↑ ↓ + -

Pending Cancel Accept

(40A)Sweet Sour Chicken HK	(40B)Sweet Sour Duck HK	(40C)Sweet Sour Pork HK	(40D)Sweet Sour Special HK
(40E)Sweet Sour King Prawn HK	(40F)Sweet Sour Mixed Veg HK		

Optional Items

(boiled rice)	(chips)	(fried rice)	(noodles)
(salt pepper chips)			

OK Exit

plain chow mein prawn cracker pancake roll Mod Meat Mod Veg Mod Taste

Ingredient Ingredient Free Keyboard << >>

呼叫信息

17:03:09 01/07/2023

电话号码

09999955555

编辑/添加

送餐

拿餐

17:02

+5	+20	+35	7	8	9
+10	+25	+40	4	5	6
+15	+30	+45	1	2	3
+50	+55	+60	0	CLR	

来电记录

订单记录

地址 Derby Road, ENFIELD 邮编 EN34AT 内部备注 free pc

连接电话

退出

语言

名字 one two
 电话 06666688888
 邮编 EN34AS
 地址 999 Concord Road, ENFIELD
 距离 0.21 方位 RW1
 配送费 0.00 完成 16:56

退出

数量	菜名	价格	编号	
1	西兰猪	7.00	166a	
1	辣汁猪	7.00	163	
1	毛菇猪	7.00	162	
1	干骨	7.00	26	
	蟹钳			
2	**加虾仔	1.00	15.40	30
	**加虾	1.00		

CID

6

43.40

更改

菜单

↑

↓

+

-

堂食

挂单

取消

下单

支付方式

Cash

Card

Alipay

Wechat Pay

未支付

折扣

额外支付

送餐

实付

应付

找零

%

%

7

8

9

4

5

6

1

2

3

0

.

DEL

清理

打印所有

打印所有和
收据

打印客户单

打印厨房单

保存

送餐/拿餐 备注

准备时间

bring card machine

16:56

退出

外卖

24/08/2023

14:15:00

Lunch

default

钱箱

语言

账户统计

控制面板

退出

1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40

-	-	-	-						
-	-	-	-			-			
-	-	-	-			-			
-	-	-	-			-			

0	坐台 24						
数量	菜名	价格	编号	(MS27) 召炎排骨	(MS28) 生炒排骨	(MS29) 京都猪扒	(MS30) 召炎猪扒
1	酸辣汤	5.80	E21	(MS31) 蜜汁猪扒	(MS32) 鱼香肉丝	(MS33) 川回锅肉	
1	咕老鸡 **免芽菜	8.50	E58				
1	黑召牛柳 **加猪	19.50	MS21				
1	鱼香肉丝少姜非常辣 少姜非常辣	-1.00 9.00	MS32				
4		42.80		更改			
语言	↑	↓	+	-			
分割线	信息	下单					
取消	打印单						
退出	付款打单						
坐台管理							

午餐	午餐头盘	午餐正餐	午餐甜品	头盘	香鸭
汤	海鲜	牛羊	猪	鸡鸭	泰式菜
铁板	菜豆付	粉麵饭	套餐	中汤	中海鲜
中牛羊	中鸡鸭	中猪	中煲仔	中菜豆腐	週日自助
..	白饭	炒饭	净面
泰虾片	迷你卷	餐品控制	快改肉	快改菜	快改味
原料	免费原料	键盘	<< >>		

0		Table 24	
Qty	Dish Name	Price	Code
1	Szechuan Hot Sour Soup	5.80	E21
1	Sweet Sour Chicken no beansprouts	8.50	E58
1	Fillet Beef in Black Pepper add pork	19.50	MS21
1	Shredded Pork Salted Fish LESS ginger VERY spicy LESS ginger VERY spicy	9.00	MS32
4		42.80	Change Food
CHI	↑	↓	+ -
Course Divider	Message	Accept	
Cancel	Print Order		
Exit	Table Food Change	Pay	

(MS27)Salted Ribs Garlic Spices	(MS28)Fried Ribs in Sweet Sour	(MS29)Grilled Pork Loin in Capital	(MS30)Salted Pork Loin Garlic
(MS31)Grilled Pork Loin in Honey	(MS32)Shredded Pork Salted Fish	(MS33)Pork GP Spicy Sauce	

Table Food Change			Appetisers	Aromatic Duck	
Change Table	Merge Table	Move Food	Poultry	Thai Dishes	
VIP	Reserve Table	Exit	Soup-C	Seafood-C	
			Veg Beancurd-C	Sunday Buffet	
..	boiled rice	fried rice	plain chow mein
Thai cracker	mini roll	Order Control	Mod Meat	Mod Veg	Mod Taste
Ingredient	Ingredient Free	Keyboard	<< >>		

0		坐台 24	
数量	菜名	价格	编号
1	酸辣湯	5.80	E21
1	咕老鸡 **免芽菜	8.50	E58
1	黑召牛柳 **加猪	19.50	MS21
1	魚香肉絲少姜非常辣 少姜非常辣	9.00	MS32
4		42.80	更改
语言	↑	↓	+ -
分割线	信息	下单	
取消	打印单		
退出	坐台管理	付款打单	

(MS27)召炎排骨	(MS28)生炒排骨	(MS29)京都豬扒	(MS30)召炎豬扒
(MS31)蜜汁豬扒	(MS32)魚香肉絲	(MS33)川回鍋肉	

坐台管理			頭盤	香鴨	
换桌	并桌	移餐	雞鴨	泰式菜	
VIP	预定座位	退出	中湯	中海鮮	
			中菜豆腐	週日自助	
..	白飯	炒飯	淨面
泰蝦片	迷你卷	餐品控制	快改肉	快改菜	快改味
原料	免费原料	键盘	<< >>		

更改

英文名称 Shredded Pork Salted Fish LESS VERY spicy ginger

其他名称 魚香肉絲少非常辣姜

原始价格	10.00	7	8	9
折扣		4	5	6
附加费	-1.00	1	2	3
新价格	9.00	0	.	DEL
大份	小份	正常	%	CLR

FREE 保存 退出

改	加	免
少	多	非常
汁	鹽	油
味精	糖	辣
骨	姜	天果
芽菜	什菜	花生
毛菇	洋葱	果仁
红萝卜	蛋	叉烧
尤鱼	猪	鸡
牛	虾仔	大虾

打印订单

金额	42.80
折扣	%
服务费	10.00 % 4.28
额外支付	
总计	47.08
预付金额	
应付金额	47.08

打印订单 分单 退出

支付方式

	Cash	7	8	9
	Card	4	5	6
		1	2	3
		0	.	DEL
		清理		
实付		重置	打印收据	
应付	47.08	保存	打印摘要	
找零/小费	-47.08		退出	

PARTNER

G4-1-E/ G5-1-E

The New Grace POS Solution



GRACE

partnertechcorp.com



Target installation

A Stylish and aesthetic POS system is critical to branding and overall customer experience provided at the checkout, but it must also have the power and functionality to allow you to serve customers efficiently. You can have it all with Partner Tech's GRACE (G4-1-E/G5-1-E) touch POS terminal.



GRACE (G4-1-E/G5-1-E)

Target Market



Casual Dining Restaurant



Fine Dining Restaurant



Fashion Shop



Shopping Mall



Book Store



Consumer Electronic Shop

GRACE

FIT & SLIM

The GRACE (G4-1-E/G5-1-E) features an ultra-slim and sleek look that exhibits elegance. It can be perfectly sized for sitting on a counter or in areas where you're tight on space.

*G4 Series: 15" (1024x768)

*G5 Series: 15.6" (1366x768)



GRACE
G4-1-E/ G5-1-E

For an optimized workflow



The elegant touch POS functionality enriches all verticals, empowering any merchant to make a dramatic brand statement. This gorgeous all-in-one has the technology, innovation and power to perform while enhancing the retail or restaurant aesthetics.

Intel Elkhart Lake Fanless

**G4: 15"
G5: 15.6"**



Option Peripherals
MSR
Fingerprint Reader
iButton
RFID
IC Card

High Speed M.2 SSD

Wi-Fi (Option)



Guest Facing Display
VFD,
CD-101C

PM-116
PMC-1500

A Smart Investment

The GRACE series offers you the flexibility to scale as your business needs change. This touch terminal is available in 15" and 15.6".

It can be configured with options that allows it to support up to three digital signage displays.

GREAT FEATURES



Cost-Effective Design

- Remove TYPE C connector
- Change IO bracket to USB3.2x2, USB2.0x4
- Remove DIMM2

Power and Reliability

- Fanless Design with State-of-the-Art High Performance Elkhart Lake platform

Bi-Direction Display

- The bi-directional rotatable display makes it easy for employees to quickly show digital content to customers, allowing customers to take actions in real-time

Spill & Dust Resistant

- Spill and dust resistant front panel, IP54.



**Easy to
replace
SSD**

DESIGN for EASY MAINTENANCE

The GRACE is easily maintained through maintenance and Service Friendly design

GRACE (G4-1-E/G5-1-E)

**The Grace + T base is not foldable*



The T Base



Cost Effective



Easy Cable Management



Compact Size

G
R
A
C
E

Dual Bracket for Grace

■ AS-200

AS-200

P/N: 7900AS2000000 AS-200/Black/GP

PM-116
PMC-1500
(2nd Display)



Grace
G4, G5

AS-200
The dual bracket for Grace + T base with 2nd display (11.6" or 15")

AS-200

P/N: 7900AS2000000 AS-200/Black/GP

PM-116
PMC-1500
(2nd Display)



AS-200
The dual bracket for Grace + T Base with 2nd display (11.6" or 15")

For Better Tilt Angle

ADD-ON PERIPHERALS

Camera Module

CAMERA-300

- **Flexible scanning angle**
Scan freely with 270 degree rotation module
- **Flexible camera/ barcode position**

SCN-300

2D Scanner Module

P/N: (Camera Module)

79050A7199320 CAMERA-300/5M/AV5050A22/A4,A7,G4,G5,Cleo/1.1/B+G

79050A7199321 CAMERA-300/5M/AV5050A22/A4,A7,G4,G5,Cleo/1.1/Black

P/N: (2D Scanner Module)

79050A7199216 SCN-300/2D(N4680)/A4,A7,G4,G5/1.1/B+G


79050A7199217 SCN-300/2D(N4680)/A4,A7,G4,G5/1.1/Black



ADD-ON PERIPHERALS

LED Indicator Module

- *Customizable lighting color*
 - *10 notification light modes*



OPTIONAL PERIPHERAL

EX-300

External I/O Box

(Compatible with all Partner Tech POS Terminal)

supports VESA mount (75x75) & Wall mount

Option 1



- TSE SD Card
- 4 x USB3.0 Type-A
- 1 x RJ45
- 1 x RJ11
- 1 x 12V PUSB
- 1 x 24V PUSB
- 2 x USB3.0 (Signal-in)
- 1 x 12V DC-IN
- 1 x 12V DC-Out
- 1 x 5V DC-Out
- 3 x COM, 0V/5V/12V by jumper
- 3 x 12V PUSB**
- 1 x 12V DC-Out**

P/N: 7900EX3000100
EX-300/Power USB+DC 12V out

Option 2




- TSE SD Card
- 4 x USB3.0 Type-A
- 1 x RJ45
- 1 x RJ11
- 1 X 12V PUSB
- 1 x 24V PUSB
- 2 x USB3.0 (Signal-in)
- 1 x 12V DC-IN
- 1 x 12V DC-Out
- 1 x 5V DC-Out
- 3 x COM, 0V/5V/12V by jumper
- 2 x USB3.0 Type-A**

P/N: 7900EX3000200
EX-300/USB3.0

Packaging Information

G4/G5 (T base)

1. "20" Container Dimension:
 - 5840*2280*2200 mm (L*W*H) (Inside)
 - 5808*2240*2180 mm (L*W*H) (Usable)
2. Pallet Dimension:
 - 1120*968*120 mm (L*W*H)
3. "20" Container Loading Information (With pallet):
 1. Layer: 9 (Partner Tech Height Limitation)
 2. Cartons per layer: 6
 3. Cartons per pallet: 24 pcs
 4. Cartons per "20" container: 288 pcs (12 pallets)
 5. 7 Kgs per carton (G4)
 - 6.8 Kgs per carton (G5)
 6. 526*303 *451 mm



GRACE G4-1-E/ G5-1-E

Technical



Item	G4-1-E	G5-1-E
Size	15"	15.6"
Aspect Ratio	4:3	16:9
Resolution	1024 x 768	1366 x 768
Brightness (typical)	350 nits	220 nits
Touch	PCAP touch	PCAP touch
CPU	Intel® Celeron® J6412 (Elkhart Lake)	Intel® Celeron® J6412 (Elkhart Lake)
Memory (1xDIMM)	DDR4 4GB, 8GB, 16GB, 32GB	DDR4 4GB, 8GB, 16GB, 32GB
Storage	M.2 PCIe SSD: 128G / 256G / 512G	M.2 PCIe SSD: 128G / 256G / 512G
External I/O Interface	3 x Serial Ports, RS232 (RJ45), 0V/5V/12V selected in BIOS (COM1, COM2, COM3)	3 x Serial Ports, RS232 (RJ45), 0V/5V/12V selected in BIOS (COM1, COM2, COM3)
	1 x LAN (IEEE 802.3 10/100/1000 Mbps Ethernet, RJ45)	1 x LAN (IEEE 802.3 10/100/1000 Mbps Ethernet, RJ45)
	1 x RJ11 port with support for 2 cash drawers with 24V / 12V jumper setting	1 x RJ11 port with support for 2 cash drawers with 24V / 12V jumper setting
	1 x DC+ out 12V	1 x DC+ out 12V
	2 x USB 3.2 + 4 x USB 2.0	2 x USB 3.2 + 4 x USB 2.0
	1 x DC +12V input	1 x DC +12V input
	1 x Audio (1 x line-out)	1 x Audio (1 x line-out)
	1 x HDMI 1.4b	1 x HDMI 1.4b
Speaker	1 x Speaker (3W)	1 x Speaker (3W)
Peripheral Options	MSR, IC Card Reader, Fingerprint, RFID, i-Button, VFD, USB 2nd Display, HDMI 2nd Display, SCN-300, Camera-300, EX-300, UVC Light	MSR, IC Card Reader, Fingerprint, RFID, i-Button, VFD, USB 2nd Display, HDMI 2nd Display, SCN-300, Camera-300, EX-300, UVC Light
Wireless (option)	Wi-Fi 6E Intel AX210 IEEE 802.11 a/b/g/n/acR2/axR2, BT5.2	Wi-Fi 6E Intel AX210 IEEE 802.11 a/b/g/n/acR2/axR2, BT5.2
Display Support	2 Independent Displays (Main Display + HDMI)	2 Independent Displays (Main Display + HDMI)
Spill & Dust Resistant	IP54 Certified	IP54 Certified
Operation System	1. Windows 11 IoT Enterprise GAC (64bit) 2. Windows 10 IoT Enterprise LTSC 21H2 (64bit) and newer version 3. Ubuntu 22.04	1. Windows 11 IoT Enterprise GAC (64bit) 2. Windows 10 IoT Enterprise LTSC 21H2 (64bit) and newer version 3. Ubuntu 22.04
Software	S/W TPM 2.0 (BIOS)	S/W TPM 2.0 (BIOS)
Power Supply	AC-In 100~240V / DC-Out 12V, 65W	AC-In 100~240V / DC-Out 12V, 65W
Reliability	System Operating Temperature: 0~40°C/ 32~104°F	System Operating Temperature: 0~40°C/ 32~104°F
	System Humidity: 15% ~ 80%	System Humidity: 15% ~ 80%
	Storage Temperature: -20~60°C/-4~140°F	Storage Temperature: -20~60°C/-4~140°F
Dimensions (Wx Hx D)	Standing + T Base: 360 x 320 x 224 mm / 14.17 x 12.6 x 8.82 inch	Standing + T Base: 392 x 291 x 224 mm/ 15.43 x 11.46 x 8.82 inch
Weight	Standing + T Base: 5.2 kgs/11.46lbs	Standing + T Base: 5 kgs/11.02lbs

THANK YOU

You want to talk to us or have any questions?
Get in contact with us.



partnertechcorp.com



+886-2-29188500



sales@partner.com.tw



10F, No. 233-1, Baoqiao Road, Xindian, New Taipei City, Taiwan 23145

Discover Partner Tech, follow us at



Partner Tech Corporation